



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

It is intended to meet the needs of the veterinarian, the farmer, the stockman, and to a more limited extent the physician and the general public. The high standing of the authors and the fact that they are botanists insure accuracy so far as the plants are concerned.

The book is divided into four sections, the first three dealing with the plants mainly responsible for fatalities among animals, grouped on the basis of their occurrence in the animal's feed, whether found in hay (section 1), in pasture (section 2), or in concentrated feed stuffs (section 3). The fourth section deals with the plants which, although poisonous, seldom cause the death of animals. The larger number of poisonous plants, including those mainly responsible for poisoning in man, belong here. The forty illustrations are original and will enable the amateur to identify the plant responsible in an ordinary case of poisoning. There is a "symptoms" key, not claiming to be precise, but which will facilitate diagnoses by suggesting the plants which should be looked for when certain symptoms are observed and plant poisoning is suspected.

The authors emphasize the need for research on poisonous plants, both along the lines of chemical analysis and feeding experiments. The book is interesting and well written, and many of the observations, which could have been made only by experienced botanists, indicate the propriety of issuing such a book from a botanical department.—C. J. CHAMBERLAIN.

#### Constitution of vascular plants

CHAUVEAUD,<sup>4</sup> in a small volume, has presented his views as to the constitution of vascular plants, based upon an investigation of ontogeny. He calls attention to the disagreement between current theories and the facts he has observed in his investigations. His conclusion is that the body of vascular plants is built up by the successive appearance of fundamental units, or "phyllorhizes." As one passes from Pteridophytes to Spermatophytes, the disappearance of the root element ("rhize") is more and more frequent, and becomes the rule in Dicotyledons, where a rhize appears in connection with the first two phyllorhizes, but appears in connection with later phyllorhizes only in exceptional cases, as an adventitious root. In consequence of being thus reduced to a single member, the root has acquired the power of enlarging indefinitely and of persisting as long as the stem itself.

It is shown, also, that in the development of the apparatus of conduction there is a complete parallelism between internal and external morphology, since the vascular apparatus of the plant is built up by the repeated formation of elementary systems, each one corresponding to one of the phyllorhizes. Each bud is the beginning of a new phyllorhize to be added to the phyllorhize complex. In short, plants with roots are formed from elementary plantules or phyllorhizes, and the constitution of these is the unit of morphology.—J. M. C.

<sup>4</sup> CHAUVEAUD, GUSTAVE, *La constitution des plantes vasculaires révélée par leur ontogénie*. 8vo. pp. 155. figs. 54. Paris: Payot. 1921. 10 fr.